

## LFTG861D

Sudopera

EAN: 8017709282400



## Estetika

|                |                 |                                                    |                     |
|----------------|-----------------|----------------------------------------------------|---------------------|
| Estetika       | Univerzalno     | Vrsta čelika                                       | AISI304             |
| Boja           | Nerđajući čelik | Otvor za slavinu / unapred isečen otvor za slavinu | 2 otvora za slavinu |
| Završna obrada | Scotch Brite    | Vrsta ugradnje                                     | Ravno               |
| Serijska       | Mira            |                                                    |                     |

## Tip

|                    |                   |                 |               |
|--------------------|-------------------|-----------------|---------------|
| Porodica proizvoda | Sudopera          | Broj korita     | 1             |
| Tip                | Zavarena sudopera | Ocedna površina | Desno         |
| Materijal sudopere | Nerđajući čelik   | EAN kod         | 8017709282400 |
| Dimenzije sudopere | 86 cm             |                 |               |

## Tehničke karakteristike

|                                     |              |                                     |                 |
|-------------------------------------|--------------|-------------------------------------|-----------------|
| Širina (mm)                         | 870 mm       | Prečnik otvora za slavinu           | 35 mm           |
| Dubina okvira (mm)                  | 18           | Mogućnost ugradnje drobilice otpada | Da              |
| Radius otvora za podgradnju         | 5 mm         | Popup komanda                       | Da, jednostruko |
| Debljina okvira                     | 0.7 mm       | Vrsta popup komande                 | Kvadratno       |
| Visina od kuhinjske radne ploče     | 1 mm         | Vrsta zaptivke                      | Zaptivna pasta  |
| Dimenzije otvora za nadgradnju (mm) | 840 x 480 mm | Nagib ocedne površine               | 2 °             |
| Otvor za slavinu                    | 2            | Broj kopči                          | 10              |
|                                     |              | Vrsta kopči                         | Standardno      |
|                                     |              | Veličina donjeg elementa            | 60 cm           |

## Levo korito

|                                    |                    |                             |                      |
|------------------------------------|--------------------|-----------------------------|----------------------|
| Vrsta levog korita                 | Minimalni radijus  | Radius ugla levog korita    | 15 mm                |
| Dimenzije levog korita, ŠxDxV (mm) | 450 x 400 x 200 mm | Preliv levog korita         | Da, ugrađeno u ravni |
| Debljina levog korita (mm)         | 1 mm               | Položaj sita levog korita   | Zidna pozicija       |
| Dubina levog korita (mm)           | 200 mm             | Dimenzije sita levog korita | 3.5"                 |

## Logističke informacije

|                          |                       |                                     |                         |
|--------------------------|-----------------------|-------------------------------------|-------------------------|
| Dimenzije proizvoda (mm) | <b>218x870x510 mm</b> | Širina pakovanja                    | <b>610 mm</b>           |
| Neto težina (kg)         | <b>5,9 kg</b>         | Dubina pakovanja                    | <b>1010 mm</b>          |
| Bruto težina (kg)        | <b>7,9 kg</b>         | Visina upakovanog proizvoda (mm)    | <b>250 mm</b>           |
| Dubina (mm)              | <b>510 mm</b>         | Dimenzije upakovanog proizvoda (mm) | <b>250x610x1010 mm</b>  |
| Visina proizvoda (mm)    | <b>218 mm</b>         | Vrsta pakovanja                     | <b>Karton + oslonci</b> |

## Priloženi pribor

|                    |                                                                                                                                                |                                            |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| Pribor za ugradnju | <b>Sito, Sifon za uštedu prostora sa priključkom za odvod mašine za pranje sudova, Spone za fiksiranje, Zaptivka, Automatski pop-up ventil</b> | <b>sa okruglim rotacionim upravljanjem</b> |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|

## Tehnički crtež

Technical drawing of a square sink. The top view shows a square with an outer dimension of 870 mm and an inner dimension of 450 mm. The depth is 370 mm. The sink has a central circular drain with a diameter of  $\varnothing 35$  mm and a radius of R15 mm. The side view shows a square with a height of 480 mm and a width of 840 mm. The bottom view shows a square with a width of 218 mm and a height of 18 mm. The sink is shown in a perspective view with a side view and a bottom view.

